



Light Weight Moisturizer

Formula #: NSL12-66-2

Phase	Trade Name	Supplier	%
A	Belsil DM1 plus	Wacker/Brenntag	5.5
A	NS Vsol-5	Next Step Labs	10.0
A	NS Terester Tri-Cap	Next Step Labs	10.0
A	Sunflower Seed Oil	Any	1.0
B	NS MGel 1152	Next Step Labs	15.0
B	Gransil PC-12	Grant Industries	12.0
C	NS BN	Next Step Labs	3.0
C	NS Spherilon-10	Next Step Labs	3.0
D	Water	God	33.08
D	NaCl	Any	0.8
D	KSorbate	Any	0.1
D	Butylene Glycol	Any	2.0
D	NS Phytomoist	Next Step Labs	3.0
E	NS NexCide PB	Next Step Labs	1.5
F	Green Tea Frag	Bell Flav & Frag	0.02

Manufacturing Method(Cold Process)

- Combine phase A with a homomixer
- Add phase B (one at a time) and homomix until completely dispersed
- Add phase C and homomix for 5 minutes
- Combine phase D in a separate vessel and add slowly to phases AB
- Homomix for 5 minutes on medium speed
- Add phase E and homomix on medium for 2 minutes
- Add phase F and homomix for 1 minute.